



---

**REVISION HISTORY**

**DEVICE ORDER INFORMATION**

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |

SCT CONFIDENTIAL



S

SCT CONFID



SCTCO

SCT CON

---

$$1 = 2 \times \left( \frac{1}{1.25} - 1 \right)$$



---

SCT CONFIDENTIAL

S

---

SCT CONFIDENTIAL

SCT CONFID

SCT CONF

---

$$I_{\text{CINRMS}} = 0.5 I_{\text{OUT}}$$

SCT CONFIDENTIAL



SCT CON


SCTC



Technical drawing showing a cross-section of a mechanical assembly. The drawing includes dimensions and labels for various components:

- Dimensions: 4.852, 4.952, 18, 5, 3.050, 3.250, 5.842, 2.161, 1, 4.
- Labels: DIN 410, 1, 4.

## TOP VIEW



| MILLIMETERS                                               |     | INCHES |     |
|-----------------------------------------------------------|-----|--------|-----|
| LENGTH TO SINGING HOLE END OF TAIL FROM TRUS BONDING AREA | 214 | 8 1/2  | 214 |
| WIDTH TO END OF TAIL FROM TRUS BONDING AREA               | 38  | 1 1/2  | 38  |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 41  | 1 5/8  | 41  |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 51  | 2      | 51  |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 61  | 2 3/8  | 61  |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 71  | 2 7/8  | 71  |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 81  | 3 1/8  | 81  |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 91  | 3 5/8  | 91  |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 101 | 4      | 101 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 111 | 4 3/8  | 111 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 121 | 4 7/8  | 121 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 131 | 5 1/8  | 131 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 141 | 5 5/8  | 141 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 151 | 6      | 151 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 161 | 6 3/8  | 161 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 171 | 6 7/8  | 171 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 181 | 7 1/8  | 181 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 191 | 7 5/8  | 191 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 201 | 8      | 201 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 211 | 8 3/8  | 211 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 221 | 8 7/8  | 221 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 231 | 9 1/8  | 231 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 241 | 9 5/8  | 241 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 251 | 10     | 251 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 261 | 10 3/8 | 261 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 271 | 10 7/8 | 271 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 281 | 11 1/8 | 281 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 291 | 11 5/8 | 291 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 301 | 12     | 301 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 311 | 12 3/8 | 311 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 321 | 12 7/8 | 321 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 331 | 13 1/8 | 331 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 341 | 13 5/8 | 341 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 351 | 14     | 351 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 361 | 14 3/8 | 361 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 371 | 14 7/8 | 371 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 381 | 15 1/8 | 381 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 391 | 15 5/8 | 391 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 401 | 16     | 401 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 411 | 16 3/8 | 411 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 421 | 16 7/8 | 421 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 431 | 17 1/8 | 431 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 441 | 17 5/8 | 441 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 451 | 18     | 451 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 461 | 18 3/8 | 461 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 471 | 18 7/8 | 471 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 481 | 19 1/8 | 481 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 491 | 19 5/8 | 491 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 501 | 20     | 501 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 511 | 20 3/8 | 511 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 521 | 20 7/8 | 521 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 531 | 21 1/8 | 531 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 541 | 21 5/8 | 541 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 551 | 22     | 551 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 561 | 22 3/8 | 561 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 571 | 22 7/8 | 571 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 581 | 23 1/8 | 581 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 591 | 23 5/8 | 591 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 601 | 24     | 601 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 611 | 24 3/8 | 611 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 621 | 24 7/8 | 621 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 631 | 25 1/8 | 631 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 641 | 25 5/8 | 641 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 651 | 26     | 651 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 661 | 26 3/8 | 661 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 671 | 26 7/8 | 671 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 681 | 27 1/8 | 681 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 691 | 27 5/8 | 691 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 701 | 28     | 701 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 711 | 28 3/8 | 711 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 721 | 28 7/8 | 721 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 731 | 29 1/8 | 731 |
| HEIGHT TO TOP OF TAIL FROM TRUS BONDING AREA              | 741 | 29 5/8 | 741 |
| HEIGHT TO BOTTOM OF TAIL FROM TRUS BONDING AREA           | 751 | 30     | 751 |

SCT CONFIDENTIAL